

TTP-Dispatcher-Config-Frontend



Independent Trusted Third Party

UNIVERSITY MEDICINE GREIFSWALD



Unabhängige Treuhandstelle

UNIVERSITÄTSMEDIZIN GREIFSWALD

Current Docker-Version of TTP-Dispatcher: 2024.2.3-C2024.3 (Jan. 2025)

Contents

- [1 Introduction](#)
- [2 Requirements](#)
- [3 Overview](#)
 - [Dashboard](#)
 - [Active Sessions](#)
- [4 Configuration](#)
 - [Alias](#)
 - [User Interface](#)
 - [Events](#)
 - [Functions](#)
 - [IDAT](#)
 - [PSN](#)
 - [Reports](#)
 - [Server](#)
 - [Security](#)
 - [Studies / Templates](#)
 - [Systems](#)
 - [Datatable](#)
 - [Tablet Consent](#)
 - [Centres](#)
- [5 Withdrawals](#)
 - [Configuration](#)
 - [Processes](#)
- [6 Notifications](#)
 - [Configuration](#)
 - [Items](#)

- [7 Additional Information](#)

1 Introduction

Config-Web provides easy access to many parts of the dispatcher configuration and other administrative tasks. Each page has a help dialogue that explains how it works. The Config-Web Frontend is currently in beta status and is in constant development. Therefore things may not work as expected and might change in future releases.

2 Requirements

Authentication via gRAS or keycloak is required to access the path /config-web/. This requirement might be removed in a feature release. Two different roles are available:

role.dispatcher.user

For managing alias, study centres, revocations and template configurations.

role.dispatcher.admin

For configuring the dispatcher.

3 Overview

Dashboard

The dashboard displays information about the use of the Dispatcher REST-API in the **API tab**. Aggregated statistics are displayed by function called, requesting system and result. All requests to the API are also listed.

COMDIS




On the following pages you will see help texts in this box, that support you with your work. By clicking on the help symbol (?) in the upper right corner you can **hide** the help.




API Withdrawals Update data

History of requests



Requests total



List of all requests

Function	Source	Point in time	Elements	Response time	Result
queryLegitimationStatus	bdms.test.yysd908354lk	2024-10-28 09:15:34	2	66	SUCCESS
queryLegitimationStatus	bdms.test.yysd908354lk	2024-10-28 09:15:33	2	65	SUCCESS
queryLegitimationStatus	bdms.test.yysd908354lk	2024-10-28 09:14:17	2	292	SUCCESS
queryLegitimationStatus	bdms.test.yysd908354lk	2024-10-24 15:46:46	2	56	SUCCESS

In the **Withdrawals** tab, information about steps with missing confirmation is aggregated and sorted by recipient.

COMDIS




On the following pages you will see help texts in this box, that support you with your work. By clicking on the help symbol (?) in the upper right corner you can **hide** the help.




API Withdrawals Update data

Workflows - number of events



Steps with missing confirmation - number per recipient



Steps with missing confirmation

ID	Workflow	Study	Study center	System	Pseudonyms	Sent at
176	test_ohne_idat	NUM HAP	Berlin - Charite	SecuTrial	pheno_680864161 lims_213104581 bdms_994551412	2024-06-24 16:31:00

Active Sessions

Active browser sessions can be displayed and invalidated in the **Browser tab**.

API-Sessions 🔍 ?

Active sessions for requesting and redeeming tokens using the Dispatcher REST API.

🌐 Browser
API
👤 Temporary participant data

Filter by session or token

Created on	ID	API-Key	System	Timeout	User	Data	Token	
2024-10-28 09:15:34	a94fdf86-c95e-4f4d-a36e-7f68d24b2d5f	bdms.test.yysd908354lk	bdms.test.yysd908354lk	3600000	test	Data (1)		🔄 🗑️
2024-10-28 09:15:33	fba1a362-9405-44c5-987c-fd70c8a59bca	bdms.test.yysd908354lk	bdms.test.yysd908354lk	3600000	test	Data (1)		🔄 🗑️
2024-10-28 09:14:17	2260083e-9513-4c7d-82b9-7b2e30de3724	bdms.test.yysd908354lk	bdms.test.yysd908354lk	3600000	test	Data (1)		🔄 🗑️

1-3 of 3 Update data automatically

Independent Trusted Third Party of the University Medicine Greifswald - Dispatcher Configuration 2024.2.0 Development

Active REST-API sessions can be displayed and invalidated in the **API tab**.

In the **Temporary participant data tab**, participants can be displayed for which IDAT has already been entered but no IC has yet been entered. If the process is completed before the session expires, the temporary entry disappears. If the process is cancelled or not completed in time, the IDAT is deleted from the E-PIX.

4 Configuration

Alias

Configure aliases for different contexts like study names, location names, psn domains and systems.

Alias Entries



Here you can add new alias entries or edit, duplicate and delete existing ones. Entries can be filtered with the table filter in the top right corner or with the column filters. The column filters support a negative search if you prepend a ! sign.



New Alias

+ Create

147 Alias Entries

Filter

Alias ↕	Value ↕	Context ↕	Comment ↕
Filter	Filter	Filter	Filter
Berlin - CCM	Berlin - CCM	LOCATION	
Berlin Charite	Berlin - CBF	LOCATION	
bsnr_orig	radar.bsnr.orig	ldType2PsnDomain	DZHK
bsnr_temp	radar.bsnr.temp	PSN	RADAR
db	radar.system.db	ldType2PsnDomain	RADAR
db	radar.system.db	PSN	RADAR
DC_TRAIN_APHASIA_Screening	DCTA	CONFIG	
demo	demo	CONFIG	
demo	demo.study.demo	PSN	
DZHK CLOSURE-AF	DZHK CLOSURE-AF	CM	
DZHK CLOSURE-AF	dzhk.study.closure-af	PSN	
DZHK DECIPHER-HFpEF	dzhk.study.decipher	CM	
DZHK DECIPHER-HFpEF	DZHK DECIPHER-HFpEF	CONFIG	
DZHK DECIPHER-HFpEF	dzhk.study.decipher	PSN	
DZHK DEDICATE	dzhk.study.dedicate	CM	DZHK
DZHK DEDICATE	DZHK DEDICATE	CONFIG	DZHK LIMS, BDMS

User interface

Upload logos and customise the user interface.

Adapt user interface



On this site you can adapt the user interface, mainly the the form pages of the iFrames, used to be integrated into other systems.



Logos

📘 PNG and JP(E)G files are allowed.

TTP-Logo (top left)

+ Choose file

Project-Logo (top right)

+ Choose file



Selecting font size in forms

Select dark mode in forms (including automatic dark mode)

Language selection in forms

✓ Save

✗ Cancel

Independent Trusted Third Party of the University Medicine Greifswald - Dispatcher Configuration 2024.2.0 Development

Events

Configure events and study events. Link them to specific functions, psn workflows, policy requests and patient identifiers

Study Event

Event: addPatientPheno

Assigned studies:

- All
- 1
- NUM HAP
- Test
- DZHK DEDICATE
- NUM SÜP 2
- NUM SÜP
- DZHK TEST
- noStudy
- Test2

Pseudonym queries

Pattern of source ID	Pattern of target ID	Workflow of pseudonyms		
dzhk.study.*	dzhk.system.*	COMDIS.newPatient		
MPIID	dzhk.study.*	MPI_to_studyPSN		
dzhk.system.pheno	MPIID	systemPSN_to_MPI		
dzhk.system.pheno	dzhk.study.*	systemPSN_to_studyPSN		

[+ Add pseudonym query](#)

Policy queries

Policy	Version
No records found.	

[+ Add policy query](#)

Link:

Functions

Configure function options. Currently Add patient, Add consent by patient, Manage patient and Request pseudonym for patient are supported here.

Function settings



Configuration for adding a patient.



- Add patient**
- Add consent by patient
- Manage patient
- Request pseudonym for patient

Allow for participation in several studies	<input checked="" type="checkbox"/>
Show warning in case of participation in several studies	<input checked="" type="checkbox"/>
Show info page at start of workflow	<input checked="" type="checkbox"/>
Show result page at end of workflow	<input type="checkbox"/>
Show page patient exists in case of perfect match	<input checked="" type="checkbox"/>
Update IDAT in case of good match	<input type="checkbox"/>
Update IDAT in case of perfect match	<input type="checkbox"/>
Action for possibly-fitting match	AUTOMATIC_SAVE
Maximum list size for API requests	1,000

Independent Trusted Third Party of the University Medicine Greifswald - Dispatcher Configuration 2024.2.0 Development

IDAT

Link the E-PIX and configure idat parameters that will be used in all studies



Connect the E-PIX and select which fields are required for identifying data. Additional fields can be specified in the study configuration.



Parameter

Name	Mandatory	
person.lastName	Yes	
person.firstName	Yes	
person.birthdate	Yes	
person.birthplace	Yes	
person.gender	Yes	

[+ Add parameter](#)

E-PIX domain

E-PIX domain (OGNL)


Saving external person-group in local identifier-domain (OGNL)

Allow updating even if IDAT do not match with person (only for apiKey = E-PIX-Safe-Source)

Independent Trusted Third Party of the University Medicine Greifswald - Dispatcher Configuration 2024.2.0 Development

Systems

Configure extern systems and the integration with the dispatcher



PSN

PSN types that are displayed in forms can be defined in the **Types tab**.

Pseudonyms



Enter **types** that are used for display in forms and for connection to policies.
 In **workflows**, specify which steps are required for pseudonym resolution.
 Specify **domain resolutions** that can flexibly determine the target domain when calling functions using OGNL.
 Configure **domain templates** that enable the dispatcher to create new PSN domains in the gPAS for each research request.

- Types
- Workflows
- Domain resolution
- Domain templates

New pseudonym type

+ Create

3 pseudonym types

Filter

Name	PSN workflow	Target domain
LIMS	systemPSN_to_systemPSN	dzhk.system.lims
BDMS	systemPSN_to_systemPSN	dzhk.system.bdms
PHENO	systemPSN_to_systemPSN	dzhk.system.pheno

1-3 of 3

<< 1 >>

Independent Trusted Third Party of the University Medicine Greifswald - Dispatcher Configuration 2024.2.0 Development

Steps for pseudonym resolution are defined in the **Workflows tab**.

Pseudonyms



Enter **types** that are used for display in forms and for connection to policies.
 In **workflows**, specify which steps are required for pseudonym resolution.
 Specify **domain resolutions** that can flexibly determine the target domain when calling functions using OGNL.
 Configure **domain templates** that enable the dispatcher to create new PSN domains in the gPAS for each research request.

Types

Update PSN workflow

ID *

Return value

Fire CDI event after each step

Mappings

ID	Source domain	Target domain
MPI_to_studyPSN.MPIID	MPIID	

+ Add mapping


Steps

Domain	Source value	Action	Regex of prefix	Domain pattern for value deletion	Update first MPI
target	Original value	Get			false


+ Add step

Save Cancel

In the **Domain resolutions tab**, PSN domains can be determined dynamically using OGNL.



Templates for the automatic creation of PSN domains are created in the **Domain templates** tab.



Use Dispatcher to generate detailed reports on participants, their consents and pseudonyms. Choose from a variety of filters, columns and display options. The reports can be generated automatically at defined times and sent by email or notification.

The screenshot shows the 'Reports' configuration page. At the top, there are buttons for 'New report template' (+ Create) and 'Import report template' (+ Choose file). Below is a table with 3 report templates. An 'Edit report template' dialog is open, showing filter configuration options.

Name	Type	Interval of generation	Reports	Duration	Rows	Last Report
Test	Sum	Manually	11	2 s	28	2024-08-26 13:19:24
test-issue-1	Sum	Manually	15	2 s	1	2024-08-26 16:25:15
a1					0	2024-08-26 16:22:21

Edit report template

Settings Recipient Filter Group columns Filter columns

Use filters to specify which participants and documents should be included in your report.

Type	Filter value	Comparison
Study	[NUM HAP]	

+ Add filter

Save Cancel

The screenshot shows a dialog box titled 'What kind of filter would you like to add?'. It contains several filter categories with descriptions and 'Add' buttons.

Filter by patients

- Study**: Filter by patients who have signed a document for a selection of studies in the past. (+ Filter for studies Add)
- Study center**: Filter by patients who have signed a document in the past at a selection of study centers. (+ Filter for centers Add)
- Policy status**: Filter by patients who are currently consenting to a policy. This also takes into account revocations, expiration dates, invalidations, quality status and optionally the time period filter. (+ Filter for policies Add)

Filter by documents

- Template**: Filter whether only documents of a certain type or from a selection of templates should be included in the report. (+ Template filter Add)
- Quality**: Filter for documents that have a specific quality status or quality type. (+ Filter for quality Add)
- Scan**: Filter by documents that have or do not have a scan. (+ Scan filter Add)
- Time range**: Filter by documents that were created or signed within a certain time period. (+ Time range filter Add)
- Modul**: Filter for documents in which a module is set and has a certain status. (+ Modul filter Add)

Selection of one document per patient

- Dokument selection**: Select which document of a patient should be reported if several documents match the other filters. Report contains only 1 line per participant. (+ Add)

Server

Configure server options, email servers and apply additional server dependent styling

Server configuration 🔍

Specify settings of the server infrastructure in which the dispatcher is operated.

Address

Protocol type:

Domain:

Port:

Web Context-Root:

Regex for internal Redirects:

Options

Session timeout:

Audit:

Customizing

Environment label:

Styles css:

E-mail configurations aa

ID ↕	Label ↕	Host ↕	Server port ↕	Username ↕	Debug recipient ↕
No records found.					

0-0 of 0 ⏪ << 1 >> ⏩

[+ Create new email configuration](#)

Security

Configure users, roles and permissions for external systems

Security



Create permissions for dispatcher actions and objects

User Roles **Authorizations**

+ Create new authorization

52 authorization available

Filter

ID ↕↑	Description	Action	Object
addPatientPheno_event		addPatientPheno	event
bdat_analysis_event		bdat_analysis	event
bdat_download_study_event		bdat_download_study	event
bdat_qs_event		bdat_qs	event
bdat_transfer_event		bdat_transfer	event
bdat_upload_event		bdat_upload	event
biomat_analyse_event		biomat_analyse	event
biomat_store_event		biomat_store	event
call_addConsentByPatient		call	addConsentByPatient
call_confirmNotification		call	confirmNotification
call_demoController		call	demoController
call_getNotifications		call	getNotifications
call_managePatient		call	managePatient
call_manageRevocationLegacy		call	manageRevocationLegacy
call_queryLegitimationStatus		call	queryLegitimationStatus
call_requestPSN		call	requestPSN
create_addConsent		create	addConsent
create_addConsentByPatient		create	addConsentByPatient

Studies

Configure studies, link the gICS, set consent options and configure study specific idat parameters.

Studies



Create studies and manage settings for workflows, consents and identifying data.

New study

+ Create

9 studies

Filter

Study ID ↕↑	Display name	Template configuration
1	1	Edit
DZHK DEDICATE	DZHK DEDICATE	+ Add
DZHK TEST	DZHK TEST	+ Add
noStudy	NO STUDY	+ Add
NUM HAP	NUM HAP	Edit
NUM SÜP	NUM SÜP	+ Add
NUM SÜP 2	NUM SÜP 2	Edit
Test	Test	Edit
Test2	Test2	Edit

1-9 of 9

< << 1 >> >

Configure enhanced consent workflows with right-click -> Template Configuration Here you can provide different templates depending on the study centre and user given answers for defined questions. You can define if the templates should be mandatory, digital or expired.

Template configuration

Here you specify under which **conditions** (e.g. study center) the participant should be offered which consent template. To expand it, click on the arrow in front of the condition. To edit or delete the condition, click on it.

If one of your consent templates contains **placeholders**, you can fill them in here.

If you have defined **questions** in the *Set questions* tab, you can create different sets here. A **set** is a collection of templates that is displayed to the user after they have answered questions. For each set, questions and answers can be defined, which determine the selection of the set.

For each **template** added, you can define the following **properties**: Optional/mandatory, paper/tablet signature, expiration.

Template configuration - NUM HAP

Conditions / study centers | Set questions | More information | Additional documents | Import | Export

Study center Berlin - Charite (3 Sets)

Options # 1

Digital signature Tablet
Consent via second device Yes

Questions

Tablet? Ja
2. Gerät Ja
Add question

Templates

NUM-HAP-Pa-Erwachsene-V-100-0	Added on 2024-06-14	Expired on 2024-06-14	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
BDAT Test V 1.0	Added on 2024-06-04		<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Add template						

More documents

Centres

Configure centres and apply them to your studies.

Centres



Create centres, assign study centres and enter contact details.

Create new centre

+ Create

Import contact data

+ Choose file

48 centres

Filter

ID ↕	Title	Studies	Language
123	123	DZHK TEST	
Aachen	Aachen	NUM SÜP, NUM HAP	de
Augsburg - UK	Augsburg - UK	NUM SÜP	
Berlin - Charite	Berlin - Charité	NUM HAP	de
Blub	Blub	Test, Test2	
Bochum - St. Josef Hospital	Bochum - St. Josef Hospital	NUM SÜP, NUM HAP	de
Bonn	Bonn	NUM SÜP	
Dresden - TU	Dresden - TU	NUM SÜP	
Erlangen	Erlangen	NUM SÜP	
Essen - UKE	Essen - UKE	NUM SÜP	
Flensburg	Flensburg	NUM SÜP	
Frankfurt (Main) - UK	Frankfurt (Main) - UK	NUM HAP, NUM SÜP	
Gießen - Marburg	Gießen - Marburg	NUM HAP	
Göttingen	Göttingen	NUM SÜP	
Greifswald	Greifswald	NUM SÜP	
Hamburg - UKE	Hamburg - UKE	NUM SÜP	
Hannover	Hannover	NUM HAP	
Heidelberg - Innere IV	Heidelberg - Innere IV	NUM HAP, NUM SÜP	

Datatable

See and edit all entries in your configuration datatable.

Config Entries



Here you can add new config entries or edit, duplicate, (de)activate and delete existing ones.

Entries can be filtered with the table filter in the top right corner or with the column filters. The column filters support a negative search if you prepend a ! sign.

New Entry

+ Create

Current configuration: 4009

Edit

Reloaded from database

106 Config Entries

Filter

Key ↕	Value ↕	Comment ↕	Activated ↕
Filter	Filter	Filter	Filter
dzhk.ticket.categories	Einverständniserklärung;Patientendaten;Sonstiges		Yes
dzhk.dispatcher.config.current	22		Yes
dispatcher.config.current	4009		Yes
dzhk.dispatcher.config.override	true		Yes
dzhk.lims.send	true		Yes
dispatcher.wfm.restart	false	Last restart at 2015-07-21 19.52.17	Yes
dispatcher.rest.json.schema.N_S	{"\$schema": "http://json-schema.org/draft-04/s...		Yes
dispatcher.rest.json.schema.Definitions	{"type": "object", "id": "ths", "definit...		Yes
dispatcher.config.override	true		Yes
dzhk.signerIdType	studyId		Yes
dzhk.lims.excludeStudiesSecutrial	DZHK DEDICATE		Yes
zkk.r.signerIdType	studyId		Yes
dzhk.studyIdat.value1	DZHK DEDICATE		Yes
dzhk.defaultStudy	TU1		Yes
dzhk.studyIdat.value2			Yes
xdispatcher.web.text.custom	de.jsf.form.consent.info.CONSENT = Übertragen Sie ...	DZHK	Yes

Tablet

Configure tablet options like automatic pdf generation and the camera for qr code scanning.

Tablet Consent

Here you can define settings for the tablet consent feature.
You can specify an OGNL expression that uses the UserAgent and GET parameters to decide which camera should be used by default for reading the QR Code with the tablet.
You can also set the maximum number of incorrect code entries before an IP is blocked.
Below is a list of all IP addresses with the number of incorrect code entries. Red entries are blocked.
You can repeal this list of incorrect entries to unlock the IPs again.

Generating PDF

Generating the PDF via Chrome provides an exact image of the consent.
For this, a Google Chrome browser and the corresponding Chrome driver must be installed on the server.
The Chrome Driver can be downloaded here: <https://chromedriver.chromium.org/downloads>

Method:

Chromedriver installation path:

Locale host *:

[Test PDF generation](#)

PDF options: Print Download Preview

Camera

OGNL Expression to determine the standard camera:

5. Withdrawals

Withdrawal configuration

Configure withdrawal workflows.

Withdrawal-Workflows



Configure the required steps of your withdrawal workflows.

Create new workflow

+ Create

Import workflow

+ Choose file

3 workflows

Current Version Old Version

Filter

Name	ID	Version
ads	ads	1
Test ohne IDAT	test_ohne_idat	5
Vollständiger Widerruf mit Datenlöschung	vollständiger_widerruf_mit_datenslöschung	1

1-3 of 3 << 1 >>

Independent Trusted Third Party of the University Medicine Greifswald - Dispatcher Configuration 2024.2.0 Development

Withdrawal-Workflows



Configure the required steps of your withdrawal workflows.

Edit workflow

Generally 1. Documentation 2. Confirm receipt 3. Complete the withdrawal 4. Request 5. THS conclusion 6. Confirm implementation

Reminder period: 0

Active:

May be skipped:

Send revocation notification (deprecated):

Recipients of requests

recipient	Condition	E-mail	Notification	Immediate sending	Confirmation
Study Centre	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
LIMS (Basismaterial)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
LIMS (Studienmaterial)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
SecuTrial	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Additional Receiver	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

New Receiver: SecuTrial + Add

Save new version ! Overwrite current version X Cancel

Processes

Document and implement withdrawals and track the processing status in external systems

Withdrawals



Create withdrawal processes to manage all steps of the withdrawal workflow with the Dispatcher.

New withdrawal process

+ To document

All Open
 To Edit
 Wait
 Completed
 Cancelled

100 open processes

Show steps
 Display columns

ID	Workflow	Study	MPI	Patient ID	Pseudonyms	Progress	Status	Updated on
178	Vollständiger Widerruf mit Datenlöschung	NUM HAP	1001000107833	num_hap_449774054	pheno_651576731 lims_352367318 bdms_824134820		Created	2024-07-17 11:01:54
177	Vollständiger Widerruf mit Datenlöschung	NUM HAP		num_hap_804562192	pheno_519847610		Created	2024-07-16 08:57:46
176	Test ohne IDAT	NUM HAP	1001000107611	num_hap_537114473	pheno_680864161 lims_213104581 bdms_994551412		Pending	2024-06-27 12:31:33
175	Test ohne IDAT	NUM HAP	1001000105112	num_hap_816748080	pheno_295224593		Created	2024-05-02 20:27:25
174	Test ohne IDAT	NUM HAP	1001000105129	num_hap_542852481	pheno_011808633		Created	2024-05-02 20:19:36
170	Test ohne IDAT	NUM HAP	1001000104719	num_hap_260072299	pheno_003201396 lims_796300388 bdms_563315401		Created	2023-12-11 13:33:05
169	Test ohne IDAT	NUM HAP	1001000104702	num_hap_040954725	pheno_223037602 lims_399107082 bdms_112852915		Created	2024-03-13 12:15:50
168	Test 2	NUM HAP	1001000104672	num_hap_113103169	pheno_035180683 lims_010890541		Created	2023-12-11 13:38:53

6. Notifications

Notification configuration

Configure notifications.

Configure notifications

recipient
✕

ID *

API-key

Description

Target ID type PSN

Target ID domain *

Target-ID external

URL

Data format * JSON

Connector * HTTPS_POST

Timeout

Type configuration

Type	Studies filter	Studies	Active	Event-filter	Metadata filter	Metadata
No records found.						

[+ New type configuration](#)

Additional parameters

No records found.						
-------------------	--	--	--	--	--	--

Locale identifier

No records found.						
-------------------	--	--	--	--	--	--

Active

Entries

View and resend notifications for external systems.

Notifications

Notifications can be filtered with the table filter in the top right corner or with the column filters. The column filters support a negative search if you prepend a ! sign. Sorting will keep transactions grouped and is done by comparing the first notification in each transaction.

1 transactions with 1 notifications from To Load

Notification ID	Type	Date created	Receiver	Study	Source ID	Source Type	Status
<input type="text" value="Filter"/>	<input type="text" value="Filter"/>	<input type="text" value="Filter"/>	<input type="text" value="Filter"/>	<input type="text" value="Filter"/>	<input type="text" value="Filter"/>	<input type="text" value="Filter"/>	<input type="text" value="Filter"/>
a4b7e3e9-2492-4c61-a891-58c8945debe3	New patient	2024-10-23 11:21:07	lims.log	NUM SÜP 2	123	NUM SÜP 2	Error ↻

Transaction: 8db5e9b9-1784-4a71-b52c-ecce1a752a35f

1-1 of 1 < << 1 >> >

Independent Trusted Third Party of the University Medicine Greifswald - Dispatcher Configuration 2024.2.0 Development

7. Additional Information

The TTP-Dispatcher was developed by the Independent Trusted Third Party of the University Medicine Greifswald in 2012 and first published in 2015 as part of the [MOSAIC-Project](#) (funded by the DFG HO 1937/2-1).

Credits

Concept and implementation: P. Penndorf, A. Blumentritt, L. Geidel

Web-Client: P. Penndorf, A. Blumentritt

Docker: R. Schuldt, F. M. Moser

License

License: AGPLv3, <https://www.gnu.org/licenses/agpl-3.0.en.html>

Copyright: 2012 - 2025 University Medicine Greifswald

Contact: <https://www.ths-greifswald.de/kontakt/>

Supported languages

German, English